

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	71	dpa and measur\$5 with (instruct\$5 implement\$4 execut\$5 version) and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 10:42
L3	152	dpa and code with (instruct\$5 implement\$4 execut\$5 version) and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 13:35
L4	2	dpa and code with interpreted and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 10:54
L5	274	dpa and (program application applet) with (code instruction language) and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 10:54
L6	70	dpa and (select\$5 choos\$5 determin\$5 pick\$5) with(program application applet) with (code instruction language) and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 11:08
L7	1	differential adj power and interpreted with code and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 11:09
L8	6	differential adj power and executable with (multiple plural\$5 different) and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 11:12
L9	22	differential adj power and identical near2 (result output) and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 11:13
L10	9	different with implementation with identical near2 (result output) and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 11:14
L11	27	different with code with identical near2 (result output) and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 11:16
L12	46	deter\$5 with measur\$5 with power with (different multiple plural\$5) with (execut\$5 implement\$6 code) and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 11:19

EAST Search History

L13	807	(instruction code command language) with physical with measur\$6 and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 11:20
L14	9	(instruction code command language) with physical with measur\$6 and different\$5 near power and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 11:20
L15	17	(instruction code command language) with physical and differential near power and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 11:21
L16	47	differential adj power adj (analysis or attack) and (select\$5 choos\$5 pick\$5 decid\$5) with (code instruction algorithm version type) and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 12:46
L17	4	java with card and differential adj power and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 12:47
L18	0	java with platform and differential adj power and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 12:47
L19	11	java and differential adj power and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 12:47
L23	118	differential adj power and selective and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 13:36
L24	197	differential adj power adj (analysis or attack) and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 14:21
L25	0	differential adj power adj (analysis or attack) with software and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 14:21
L26	5	differential adj power adj (analysis or attack) with program and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 14:22
L27	7	differential adj power adj (analysis or attack) with application and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 14:24

EAST Search History

L28	4	differential adj power adj (analysis or attack) same software and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 14:29
L29	0	differential adj power and "5249294".pn. and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 14:29
L30	0	different with power and "5249294".pn. and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 14:29
L31	0	different\$5 with power and "5249294".pn. and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 14:31
L32	2	larger with routine and "5249294".pn. and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 14:34
L33	1	result and "5249294".pn. and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 14:37
L34	0	output and "5249294".pn. and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 14:44
L35	1	branch\$5 and "5249294".pn. and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 14:51
L36	0	bury\$5 and "5249294".pn. and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 14:51
L37	1	buried and "5249294".pn. and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 14:54
L38	392	test\$5and "5249294".pn. and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 14:54
L39	0	test\$5 and "5249294".pn. and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 14:54

EAST Search History

L40	1	detect\$5 and "5249294".pn. and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 14:56
L41	1	monitor\$5 and "5249294".pn. and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 15:02
L42	9017	virtual adj machine and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 15:22
L43	9	virtual adj machine and power near analysis and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 15:26
L44	15	code with interpret\$6 and power near analysis and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 15:35
L45	3	interpreted adj code and power near analysis and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 15:36
L46	1	interpreted adj code and differential adj power and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 15:36
L47	0	bytecode and differential adj power and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 15:36
L48	135	interpret\$5 and differential adj power and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 15:38
L49	11	java and differential adj power and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 17:07
L50	1	interpreted with code and differential adj power and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 17:07
S1	47	software with interpret\$5 with protect\$5 and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 13:51

EAST Search History

S2	46	software with interpret\$5 with synchron\$7 and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 13:51
S3	28431	"713".clas. software with interpret\$5 with synchron\$7 and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 13:51
S4	1	"713".clas. and software with interpret\$5 with synchron\$7 and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 13:52
S5	290	"713".clas. and software with interpret\$5 and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 13:52
S6	3	"713".clas. and software with interpret\$5 with obfuscate\$6 and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 13:53
S7	4	"713".clas. and software with hardware with obfuscate\$5 and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/21 15:06
S8	2	"6088454".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/22 07:46
S9	3	"6718470".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/22 07:57
S10	2	"6970869".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/22 08:54
S11	998	access with control\$5 with module with (mobile or wireless)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/22 08:55
S12	45	access with control\$5 with module with (mobile or wireless) and (authorize\$5 or acceptable) near3 device	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/22 09:00
S13	12	access with control\$5 with module with (mobile or wireless) and (authorize\$5 or acceptable) near3 device and @ad<="20021115"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/22 09:03

EAST Search History

S14	381	access with control\$5 with (mobile or wireless) and (authoriz\$5 or acceptable) near3 device and @ad<="20021115"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/22 09:03
S15	215	access with control\$5 near4 (mobile or wireless) and (authoriz\$5 or acceptable) near3 device and @ad<="20021115"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/22 09:05
S16	4	access with control with list with mobile and (authoriz\$5 or acceptable) near3 device and @ad<="20021115"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/11/22 09:24
S17	2	"5892937".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/05 11:59
S18	6	"6415031".pn. or "5805700".pn. or "20040010717".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/05 13:49
S19	2	"6587947".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/12/05 13:49
S20	2	"6334189".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/05 14:44
S21	0	"6668325".pn. and bypass\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/05 14:54
S22	1	"6668325".pn. and new with code	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/05 15:11
S23	2	"6668325".pn. and TIME	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/05 15:16
S24	2	"6668325".pn. and TIME with execut\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/05 15:31
S25	0	obfuscat\$6 with power with analy\$6 and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/05 15:23

EAST Search History

S26	0	obfuscat\$6 with power with analy\$6 and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/05 15:23
S27	98	obfuscat\$6 and power with analy\$6 and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/05 15:24
S28	12	obfuscat\$6 and power with analy\$6 with different\$7 and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/05 15:25
S29	1	obfuscat\$6 and DPA and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/05 15:26
S30	90	differenti and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/05 15:26
S31	19	different\$6 with power with analy\$7 with code and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/05 15:29
S32	0	different\$6 with power with analy\$7 with bypass\$5 and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/05 15:30
S33	4	different\$6 with power with analy\$7 same code with (program\$5 or applicat\$6) and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/05 15:30
S34	1	"6668325".pn. and power	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/05 15:44
S35	2	"5944833".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/05 15:54
S36	3	"2002057905".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/05 15:54
S37	5	"2057905".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/05 16:46

EAST Search History

S38	0	"20040019802".pn. and dynamic\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/05 16:58
S39	2	"20060048230".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/06/05 16:58
S40	275	different\$5 with power\$5 with analys\$6 and (multiple different plural\$6) with (execut\$5 implement\$5 code) and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 18:04
S41	91	different\$5 near3 power\$5 with analys\$6 and (multiple different plural\$6) with (execut\$5 implement\$5 code) and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 18:35
S42	36	different\$5 near3 power\$5 with analys\$6 and (multiple different plural\$6) with (instruction routine) and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 18:50
S43	4	hart.in. and general adj instrument. as. and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/04 10:40
S44	48	different\$5 near3 power\$5 with analys\$6 and (select\$3 choos\$4 pick\$5) with (execution instruction algorithm implementation) and @ad<="20021224"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/01/03 18:51